



VXD M.2 PCIe RGB SSD Enclosure

With the VXD Portable RGB SSD Enclosure, Viper Gaming is proud to offer an SSD enclosure truly built for the future. Featuring a PCIe Gen3x4 interface optimized for M.2 2230/2242/2260/2280 sized drives from 120GB to 4TB, the VXD SSD Enclosure is built for blazing fast read and write speeds of up to 1000MB/s. It also features a Gen2x1 USB 3.2 controller that delivers 10GB/s transfer speeds.

Along with its superior performance, the VXD also offers breathtaking aesthetics with its unique RGB capabilities. Users can now have the right combination of performance and looks to fit in with their builds.

Built with best-in-class components and materials, the VXD also comes with a 3-year limited warranty for users' total peace of mind.

PRODUCT INFORMATION

PATRIOT INV. NUMBER:	PV860UPRGM
DESCRIPTION:	VXD M.2 PCIe RGB SSD Enclosure
CERTIFICATIONS/SAFETY:	CE/FCC/RoHS
PRODUCT WARRANTY:	3 Year Warranty
UNIT EAN/UPC:	4711378423532
UNIT WEIGHT:	0.13 lbs / 58.6 g
UNIT DIMENSIONS:	4.33"(L) x 1.69"(W) x 0.54"(H) 11 cm (L) x 4.3 cm (W) x 1.38 cm (H)
PACKAGING TYPE:	Retail Box
PACKAGING WEIGHT:	0.29 lbs / 131.7 g
PACKAGING DIMENSIONS:	5.28"(L) x 2.91"(W) x 1.69"(H) 13.4 cm (L) x 7.4 cm (W) x 4.3 cm (H)
MASTER CARTON WEIGHT:	1.57 lbs / 0.71 kg
MASTER CARTON DIMENSIONS:	8.66"(L) x 3.23"(W) x 5.67"(H) 22 cm (L) x 8.2 cm (W) x 14.4 cm (H)
UNITS PER INNER CARTON:	5
UNITS PER MASTER CARTON:	5

FEATURES:

- Host side: USB 3.2 Gen2 (10Gbps) controller
- Device side: USB 3.2 Type-C interface
- PCIe Gen3 x 4, NVMe 1.3
- Form factor: M.2 2230/2242/2260/2280
- SEQ performance up to R/W: 1000MB/s & 1000MB/s
- Supports capacity from 120GB up to 4TB
- 100% aluminum alloy shell
- Built in heatsink & thermal pad, 30%~40% Cooling Down
- RGB colorful lighting effect supporting different working status
- Support sleeping mode to raise product life of SSD
- Support hot swap and reversible swap
- Compatible with Windows/ Mac OS/ Linux/ Android Platform

For technical support, email us at:
SUPPORT@PATRIOTMEM.COM

MEMORY STORAGE

