Data Sheet

DTU-1031AX 10.1-inch Pen Display



Wacom® for Business

DTU-1031AX

Cost-effective digital document handling



Product Overview

With its 10.1" color LCD screen, the Wacom DTU-1031AX is the economical pen display solution for corporate or institutional customers who require a compact device for managing full-size documents electronically.

Operating as a pen-enabled LCD display, its small footprint and single USB cable enable easy integration into standard IT infrastructure elements, such as POS systems.

Key Features & Benefits

- Optimal user comfort with the 10.1", 1024 x 600 resolution, color LCD panel that allows easy document viewing and signing
- Secure transactions enabled by advanced AES256/RSA2048 encryption
- Unique hardware ID (UID) to identify the exact unit used for any transaction
- Minimal installation clutter with a single USB cable that supplies power and data, minimizing clutter at the counter or point-of-sale
- Highly accurate signatures and writing with the patented Wacom cordless and battery-free pen, featuring 512 levels of pressure sensitivity

- Flexible working position via a slim profile that allows the device to be used flat on the counter, or at an angle with the integrated stand. VESA mounting holes allow for mounting options or the use of third-party arms and stands
- Kensington® Security Slot to secure the unit when needed
- Outstanding durability via the scratch-resistant hardened cover glass that provides easier viewing in different lighting conditions

General Specifications

	Dimensions (W x H x D)	12.2 x 8.5 x 0.6 in / 310 x 217 x 14 mm
	Weight	2.4 lb / 1.1 kg
\nearrow	Stand inclination	18° or flat
5	Power supply	USB bus power: 5 VDC
$\sqrt{3}$	Power consumption	5W maximum
$\stackrel{\leftarrow}{\Leftrightarrow}$	Communication interface	USB 2.0 High-Speed
	Supported OS (Driver)	Windows 10 / 8.1 / 7 (32-bit, 64-bit) Mac OSX 10.12 or later
	LCD Display	
	LCD Display Type	TFT
\bigoplus	Screen dimensions	10.1 in
	Cover glass surface	Tempered glass
	Aspect ratio	16:9
***	Native resolution	1024 x 600 pixels
••	Video input	USB 2.0 High-Speed (Common with Communication IF)
\triangleleft	Viewing angles (horizontal/vertical)	140° (70/70) / 120° (60/60) (typical)
8	Display colors	16.7 M colors
->-\-	Luminance (brightness)	0.13 cd/in² / 200 cd/m² (typical)
	Contrast ratio	500:1 (typical)

W∂COM® for Business

Tablet and Pen

	Technology	Electromagnetic Resonance (EMR)
	Active area size	8.8 x 4.9 in / 223 x 125 mm
X	Coordinate resolution	0.01 mm/point (2540 lpi)
•	Accuracy	±0.02 in / ±0.5 mm (center)
	Report rate	200 points per second
	Pressure levels	512
2	Encryption	AES 256 / RSA 2048
•	Reading height	0.2 in or more / 5 mm or more (center)

Miscellaneous

Pen holder	Integrated pen compartment, pen holder
Security lock slot	Yes
Mounting system	VESA 2.95 in / 75 mm
Orivers	Wacom driver recommended (Works also as standard HID without Wacom driver) MCT driver required

Energy efficiency class and information for COMMISSION REGULATION (EU) 2019/2013



More human





Japan (HQ)

For more information please contact: Wacom Co., Ltd. · Sumitomo Fudosan Shinjuku Grand Tower 31F, 35F, 8-17-1 Nishi-Shinjuku, Shinjuku-ku, Tokyo 160-6131, Japan vm-info@wacom.co.jp · 03-5337-6706



Americas

For more information please contact / Pour de plus amples informations, veuillez contacter / Para obtener información adicional, póngase en contacto con: Wacom Technology Corporation · 1455 NW Irving Street, Suite 800 | Portland, OR 97209 USA esign@wacom.com · 1-503-525-3100



Europe, Middle East and Africa

For more information please contact / Pour de plus amples informations, veuillez contacter / Para obtener información adicional, póngase en contacto con: Wacom Europe GmbH · Zollhof 11-15, 40221 Düsseldorf, Germany solutions@wacom.eu · +49 211 385 48 0



For more information please contact:

China

Wacom China Corporation · 518, West Wing Office, China World Trade Center, No. 1 Jianguomenwai Avenue, Chaoyang District, Beijing 100004, China e-signature@wacom.com · 400-810-5460

Hong Kong

For more information please contact:

Wacom Hong Kong Ltd. · Unit 1610, 16/F, Exchange Tower, 33 Wang Chiu Road
Kowloon Bay, Hong Kong
e-signature@wacom.com · +852 2573 9322



Australia

For more information please contact:

Wacom Australia Pty. Ltd. · Ground floor, Building 1, 3 Richardson Place,
North Ryde, NSW, 2113, Australia

Contactapbs@Wacom.com · +61 2 9422 6730

Korea

For more information please contact:

Wacom Korea Co., Ltd. · Rm #1211, 12F, KGIT Sangam Center, 402 Worldcup

Bukro, Mapo-gu, Seoul 03925, Korea

Contactapbs@Wacom.com · 080-800-1231

Singapore

For more information please contact:

Wacom Singapore Pte. Ltd. · 5 Temasek Boulevard, #12-09, Suntec Tower Five,
Singapore 038985, Contactapbs@Wacom.com · (503) 525-3100

India

For more information please contact:

Wacom India Pvt. Ltd. · 426, Tower B, DLF Building Jasola District Centre,

Mathura Road, New Delhi 110025 India, Contactapbs@Wacom.com

Customer Support: 000-800-100-4159, +91-11-47239412

wacom.com/for-business

© 2021 Wacom Co., Ltd.