


Wi-Fi Portfolio



Wi-Fi 7 Indoor Product Transition



Wi-Fi 7 Portfolio

Wi-Fi 7 Portfolio

A model for every use case

Coffee shops



CW9171I

Lower density deployments, compact form factor

AVAILABLE

Residence halls, retail



CW9172I/H

Moderate-density deployments, wall plate

AVAILABLE

Classrooms, carpeted spaces



CW9174I/E

Moderate to high-density deployments

AVAILABLE

Lecture halls, libraries



CW9176I/D1

High-performance, omni & directional antenna options, URWB

AVAILABLE

Outdoor



CW9177I/D/E

High-end outdoor, 3 variants for optimal coverage, URWB

NEW

Campus with Location



CW9178

Ultra-high performance, high-density deployments, URWB

AVAILABLE

Stadiums, large venues



CW9179F

High-density, large venues, configurable beam patterns

AVAILABLE

CW9177 Specs

IOS-XE 26.2.1 and 26.1.x



NEW!

CW9177I

Omni directional antenna
For Horizontal mounting



NEW!

CW9177D

Directional antenna
(72x72 – 7 dBi)



NEW!

CW9177E

External antenna
8x N-type connector

Key specs

12 spatial streams
4x4 on 2GHz, 4x4 on 5 GHz, 4x4 on 6 GHz
-or-
4x4 on 2GHz, and dual 4x4 on 5 GHz
Accelerometer (I,D,E*)
CleanAir Pro

BLE/IoT and dedicated scan radio

10 Gbps copper and SFP+ port

DC Power input

Global Use AP

IP67

Operating Temp: -40°C to 65°C w/o solar

Wi-Fi 7 Software Support Matrix

IOS-XE 17.18.1 or later
Catalyst Center 2.3.7.10+ / 3.1.5+

IOS-XE 17.15.2 or later
Catalyst Center 2.3.7.6
(for configuration)
Catalyst Center 2.3.7.9
(for maps & assurance)

IOS-XE 26.2.1 & 26.1.3 or later
Catalyst Center 3.3.1

IOS-XE 17.18.2 or later
Catalyst Center 2.3.7.10/ 3.2.1

IOS-XE 17.15.2b or later
Catalyst Center 2.3.7.10

IOS-XE 17.17.1 or later
Catalyst Center 3.1.3

IOS-XE 17.18.2 or later
Catalyst Center 2.3.7.10 / 3.2.1



CW9179F

MR 31.1.7 or later



CW9178I
CW9176I & D1

MR 31.1.5.1 or later



CW9177I/D/E

MR 32.2.5.1 or later



CW9174I & E

MR 32.1.5 or later



CW9172I

MR 31.1.5.1 or later



CW9172H

MR 31.1.6.1 or later



CW9171I

MR 32.1.5 or later

Wi-Fi 6E Portfolio

Wi-Fi 6E Portfolio



Indoor Access Points

Outdoor Access Points

 Management mode can be changed

Wi-Fi 5+6 Portfolio

Last Software Release support




- **Wi-Fi 5:** Last Software release is 26.1.x



- **Wi-Fi 6 (indoor only):** Last Software is TBD. EoVSS/LDoS is Dec 2031. Release will align with that.

Wi-Fi Controller Portfolio


Cisco Wireless Controller Portfolio



Wi-Fi Industrial Portfolio

Outdoor and Industrial Wireless Portfolio

Wi-Fi 6/6E & URWB



Catalyst IW9167E
URWB, WGB
Wi-Fi 6/6E



Catalyst IW9167I
Wi-Fi 6/6E



Catalyst IW9167E-HZ
URWB, WGB
Wi-Fi 6/6E



Catalyst IW9165D
URWB
Wi-Fi 6/6E



Catalyst IW9165E
URWB, WGB
Wi-Fi 6/6E



IEC6400 Cisco Edge
Compute Appliance for
Large Cisco URWB
deployments

URWB on Cisco Wireless

Available in Wi-Fi 7, 6E and 6 access points

Access Point Support

Wi-Fi 7



CW9178I



CW9176I, D1




CW9177I, D, E

Wi-Fi 6E



IW9165E



IW9167E
IW9167E-HZ



C9136
CW9166I, D1

Wi-Fi 6



C9124
(AXE, AXI, AXD)



C9130
(AXE, AXI)

Configuration & Management

Catalyst 9800 Series WLC



Catalyst Center (coming in 2026)



Fixed use case functionality is included in **Essentials** licensing tier
Mobility use case functionality is included in **Advantage** licensing tier

URWB AP Support Matrix: <https://www.cisco.com/go/urwbmatrix>

ATComputers

