ideapad C340-14API 81N600CHCK

Product

ideapad C340-14API

Region

EET

Country/Region

Czech, Slovakia

Machine Type

81N6

Processor

AMD Athlon 300U (2C / 4T, 2.4 / 3.3GHz, 1MB L2 / 4MB L3)

Graphics

Integrated AMD Radeon Vega 3 Graphics

Chipset

AMD SoC Platform

Memory

4GB SO-DIMM DDR4-2400

Storage

128GB SSD M.2 2280

Display

14" FHD (1920x1080) TN 220nits Glossy

Touchscreen

10-point Multi-touch

Pen

None

Optical

None

Media Reader

4-in-1 Card Reader

Ethernet

None

WLAN + Bluetooth

11ac, 1x1 + BT4.2

WWAN

None

Case Material

PC / GF (Top) + PC / ABS (Bottom)

Bundled Accessories

None

Camera

720p

Microphone

2x, Array

Color

Onyx Black

Keyboard

Backlit, Czech / Slovak

Fingerprint Reader

None

NFC

None

TPM

FW TPM 2.0

Battery

Integrated 45Wh

Power Adapter

65W Round Tip

Operating System

Windows 10 Home in S mode, English / Czech / Slovak

Bundled Software

Office Trial

Base Warranty

2-year, Depot

Bundled Service

None

EAN/UPC/JAN

194778285674

End of Support

2026-02-09

Announce Date

2020-01-09

WWW.LENOVO.COM

Lenovo may not offer the products, services or features discussed in this document in other countries. Lenovo may withdraw an offering at any time. Information is subject to change without notice. Consult your local representative for information on offerings available in your area.

Lenovo reserves the right to change specifications or other product information without notice. Lenovo is not responsible for photographic or typographical errors. Lenovo provides this publication "as is" without warranty of any kind, either express or implied, including the implied warranties of merchantability or fitness for a particular purpose.



https://psref.lenovo.com

Visit psref website for the latest version of Product Specifications Reference.
© Lenovo, 2020. All rights reserved.



AMD⊅

ideapad C340-14API AMD Platform Specifications

N Alth R 3		# of Cores Th	4 -	Base Frequency 2.4 GHz 2.6 GHz 2.1 GHz	Max Turbo Frequency 3.3 GHz 3.5 GHz	Cache 1MB L2 / 4MB L3	Memory Types	Processor Graphics AMD Radeon Vega 3 Graphics AMD Radeon	Bluetooth™ Media reader Ports	802.11ac 1x1 Wi-Fi + Bluetooth 4.2, M.2 Card 802.11ac 2x2 Wi-Fi + Bluetooth 4.2, M.2 Card Bluetooth 4.2 wireless, integrated in Wi-Fi + Bluetooth combo adapter 4-in-1 media reader (MMC, SD, SDHC, SDXC) Two USB 3.1 Gen 1 (one Always On), one USB 3.1 Type-C™ Gen 1, HDMI 1.4b, 4-in-1 media reader (MMC, SD, SDHC, SDXC), AC power adapter jack, 3.5mm 0.14inch headphone / microphone combo jack
Alth R 3 R 3	Ryzen 3 3200U Ryzen 3 3200U Ryzen 3 3300U	2	4 -	2.4 GHz 2.6 GHz 2.1 GHz	3.3 GHz	1MB L2 /	Types	AMD Radeon Vega 3 Graphics AMD	Media reader	Bluetooth 4.2 wireless, integrated in Wi-Fi + Bluetooth combo adapter 4-in-1 media reader (MMC, SD, SDHC, SDXC) Two USB 3.1 Gen 1 (one Always On), one USB 3.1 Type-C™ Gen 1, HDMI 1.4b, 4-in-1 media reader (MMC, SD, SDHC, SDXC), AC power adapter jack, 3.5mm 0.14inch headphone / microphone combo jack
R 3 R	Ryzen 3 3200U Ryzen 3 3300U		4 -	2.6 GHz 2.1 GHz				Radeon Vega 3 Graphics AMD		Two USB 3.1 Gen 1 (one Always On), one USB 3.1 Type-C [™] Gen 1, HDMI 1.4b, 4-in-1 media reader (MMC, SD, SDHC, SDXC), AC power adapter jack, 3.5mm 0.14inch headphone / microphone combo jack
R 3	3200U Ryzen 3 3300U Ryzen 5		4	2.1 GHz	3.5 GHz			Vega 3 Graphics AMD		Two USB 3.1 Gen 1 (one Always On), one USB 3.1 Type-C [™] Gen 1, HDMI 1.4b, 4-in-1 media reader (MMC, SD, SDHC, SDXC), AC power adapter jack, 3.5mm 0.14inch headphone / microphone combo jack
3 	3300U Ryzen 5	4			0.5 GHZ					
		4		216⊔-			DDR4-2400	Vega 6 Graphics	Dimensions Weight Case color Case material Camera Audio support	* Depending on many factors, actual data transfer speed may be lower than theoretical speed WxDxH: 12.91" x 9.01" x 0.7"; 328mm x 229mm x 17.9mm 1.65 kg (3.64 lb) Onyx black, platinum grey Display cover: PC + GF Bottom: PC/ABS plastic
<u> </u>				2.1 GHZ	3.7 GHz	2MB L2 / 4MB L3		AMD Radeon Vega 8		
	Ryzen 7		8	2.3 GHz	4.0 GHz			Graphics AMD Radeon RX		HD720p (1.0MP) with privacy shutter, fixed focus HD Audio, Dolby Audio™, stereo speakers, 2W x 2, dual array microphone, 3.5mm 0.14inch headphone / microphone combo jack
	3700U							Vega 10 Graphics	Keyboard Touchpad	6-row, multimedia Fn keys, optional LED backlight Mylar surface multi-touch touchpad
supp supp	AMD Radeon Vega 3, Vega 6, Vega 8 or RX Vega 10 Graphics in processor only, supports external digital monitor via HDMI; supports dual independent display; Max resolution: 1920x1080@60Hz (HDMI)							ssor only,		Power-on password, administrator password, user password Firmware TPM 2.0 integrated in chipset r Optional: touch style Match-on-Host fingerprint reader on the palm rest
Chipset AMD Memory 8GB Optio	AMD SoC (System on Chip) platform 8GB max offering / 2400MHz DDR4, Optional: 4GB memory soldered to systemboard, one DDR4 SO-DIMM socket							socket	Battery Max battery life AC adapter	Integrated Li-ion 45Wh battery MobileMark® 2014: 10 hrs * Battery life varies significantly with settings, usage, & other factors 65W Round Tip AC adapter, supports rapid charge (1 hour 80%)
Display One o	* System clocks down for processors with lower memory controller One of the following, configurable by model: 14.0" (356mm) HD (1366x768), TN, glossy, LED backlight, 220 nits, 16:9 aspect ratio 14.0" (356mm) FHD (1920x1080), TN, glossy, LED backlight, 220 nits, 16:9 aspect ratio 14.0" (356mm) FHD (1920x1080), IPS, glossy, LED backlight, 250 nits, 16:9 aspect ratio Supports 10-finger gesture								Preload	Preloaded operating system • Windows® 10 Home 64 • Windows 10 Home S • Windows 10 Pro Preloaded applications (only some listed) • Microsoft Office Trial (with 30-day license) • Microsoft Office 365 (with 1-year license) • Microsoft Office Home and Business 2019 • Microsoft Office Home and Student 2019
Multi-mode 4 mo Pen (optional) Lend (batte	4 modes: notebook, tablet, stand and tent; 360° hinge Lenovo Active Pen 2, with replaceable battery or without battery (battery need to be purchased separately for the models without battery))	Limited warranty	One of the following, configurable by model: 1-year depot repair service 2-year/1-yr battery depot repair service
Som Som	One of the following, configurable by model: Some: M.2 (2280) SSD / SATA 6.0Gb/s (e.g. xxxGB SSD M.2 2280) Some: M.2 (2242) SSD / PCIe NVMe, PCIe 3.0 x 2, 16Gb/s (e.g. xxxGB SSD M.2 2242 PCIe NVMe) Some: M.2 (2280) SSD / PCIe NVMe, PCIe 3.0 x 4, 32Gb/s (e.g. xxxGB SSD M.2 2280 PCIe NVMe)								Environment	ENERGY STAR® 7.0; ErP lot3; RoHS-compliant
Optical None	None									
	None								1	

Note: The specifications above may not be available in all regions.





AMD







AN