Yoga C740-15IML 81TD005CCK

Product

Yoga C740-15IML

Region

EET

Country/Region

Czech, Slovakia

Machine Type

81TD

Processor

Intel Core i5-10210U (4C / 8T, 1.6 / 4.2GHz, 6MB)

Graphics

Integrated Intel UHD Graphics

Chipset

Intel SoC Platform

Memory

16GB Soldered DDR4-2666

Storage

512GB SSD M.2 2280 PCIe NVMe

Display

15.6" HDR FHD (1920x1080) IPS 500nits glossy, Dolby Vision

Touchscreen

10-point Multi-touch

Pen

Lenovo Active Pen

Optical

None

Media Reader

None

Ethernet

None

WLAN + Bluetooth

Intel AX201 11ax, 2x2 + BT5.0

WWAN

None

Case Material

Aluminum

Bundled Accessories

None

Camera

720p

Microphone

2x, Array

Color

Iron Grey

Keyboard

Backlit, Czech / Slovak

Fingerprint Reader

Touch Style

NFC

None

TPM

FW TPM 2.0

Battery

Integrated 60.3Wh

Power Adapter

65W USB-C

Operating System

Windows 10 Home 64, English / Czech / Slovak

Bundled Software

Office Trial

Base Warranty

2-year, Depot

Bundled Service

2Y Premium Care with Onsite upgrade from 2Y Depot/CCI (5WS0T73704)

EAN/UPC/JAN

194778423458

End of Support

2026-02-23

Announce Date

2020-01-23

WWW.LENOVO.COM

Lenovo may not offer the products, services or features discussed in this document in other countries. Lenovo may withdraw an offering at any time. Information is subject to change without notice. Consult your local representative for information on offerings available in your area.

Lenovo reserves the right to change specifications or other product information without notice. Lenovo is not responsible for photographic or typographical errors. Lenovo provides this publication "as is" without warranty of any kind, either express or implied, including the implied warranties of merchantability or fitness for a particular purpose.



https://psref.lenovo.com

Visit psref website for the latest version of Product Specifications Reference.
© Lenovo, 2020. All rights reserved.



Yoga C740-15IML Platform Specifications

Processor	Dowle		Media reader Ports	None Two USB 3.1 Type-C™ Gen 1 (with the function of Power Delivery DisplayPort),
	Number Cores Threads Frequency Frequency Cache Memory Types Grap	essor		two USB 3.1 Type-A Gen 1 (one is Always On USB), 3.5mm 0.14inch stereo audio / microphone combo jack * Depending on many factors, actual data transfer speed may be lower than theoretical speed None Lenovo USB-C 3-in-1 Hub
	15-10210U 4 8 1.6 GHz 4.2 GHz 6MB	UHD		
	17-10510U		Monitor cable Bundled Accy	
Graphics	Intel UHD Graphics in processor; supports external digital monitor via USB Type-C™; supports two independent displays; Max resolution: 3840x2160@60Hz (USB Type-C)		(optional)	Lenovo USB-C to VGA Adapter Lenovo USB-C to HDMI Adapter Lenovo USB-C to USB-A Adapter Lenovo USB-C to USB-A Adapter HD720p with privacy shutter, fixed focus HD Audio, Lenovo speakers with Dolby® Atmos™ certification, 2W x 2 /
Chipset Memory	Intel SoC (System on Chip) platform 8GB, 12GB or 16GB max / 2666MHz DDR4, soldered to systemboard, no s		audio support	dual-array microphone, 3.5mm 0.14inch stereo audio / microphone combo jack
	* System clocks down for processors with lower memory controller	K	Keyboard Touchpad	6-row, multimedia Fn keys, LED backlight Buttonless glass surface multi-touch touchpad
Display	One of the following, configurable by model: • 15.6" (396mm) FHD (1920x1080), anti-glare, LED backlight, IPS, 250 nits	IPS, 250 nits, Security	Security	Power-on password, administrator password, user password
	16:9 aspect ratio, 45% NTSC • 15.6" (396mm) FHD (1920x1080), glossy, LED backlight, IPS, 500 nits,		Security chip Fingerprint reader	Firmware TPM 2.0 integrated in chipset r Touch style Match-on-Host fingerprint reader on the palm rest
	16:9 aspect ratio, 72% NTSC, HDR 400, Dolby® Vision	_	ight sensor	None
Multi-touch Multi-mode	Supports 10-finger gesture 4 mode: Laptop, tent, stand and tablet; Yoga hinge, 360 degree Lenovo Active Pen		G-sensor TV tuner	Accelerometer None None
Pen (<i>Opt</i>)				
Storage	 M.2 2280 SSD / PCIe NVMe, PCIe 3.0 x 4 Intel Optane Memory H10 with Solid State Storage, M.2 2280, PCIe NVMe 3.0 x 4 None 		Gyroscope .	None
			Battery Max battery life	Integrated Li-lon 60.3Wh battery MobileMark® 2014: 15 hrs * Battery life varies significantly with settings, usage, & other factors
Optical			,	
Ethernet			AC adapter Preload	pad Preloaded operating system: • Windows® 10 Home 64 • Windows 10 Pro 64
WLAN	One of the following, configurable by model: Intel Wireless-AC 9560, Wi-Fi 2x2, Wi-Fi + Bluetooth 5.0, M.2 Card, CNVi Intel Wi-Fi 6 AX201, Wi-Fi 2x2, Wi-Fi + Bluetooth 5.0, M.2 Card, CNVi			
* CNVi: Connectivity Integration Architecture (Integrated Intel Wireless-AC Solution)		L	,	One of the following, configurable by model: 1-year depot repair service 1-year depot with 2-year system board service
Dimensions	Bluetooth 5.0 wireless, integrated in Wi-Fi + Bluetooth combo adapter WxDxH: 14.1" x 9.27" x 0.63 - 0.72"; 357.8mm x 235.35mm x 16.02 - 18.25mm			
Weight	1.9 kg / 4.19 lb		Environment	2-year/1-yr battery depot repair service ENERGY STAR® 7.1; RoHS-compliant
Case color Case material	Iron grey and Mica Display cover: Aluminum;	-	invironment	ENERGY START 7.1, NORS-COMPILANT
	Bottom: Aluminum			

Note: The specifications above may not be available in all regions.

