Lenovo V530-15ICR 11BH0011XS

Product Lenovo V530-15ICR

Region EET

Country/Region Slovakia

Machine Type

TopSeller TopSeller

Processor Intel Core i5-8400 (6C / 6T, 2.8 / 4.0GHz, 9MB)

Chipset Intel B365

Graphics Integrated Intel UHD Graphics 630

Memory 1x 4GB DIMM DDR4-2666

Storage 1TB HDD 7200rpm 3.5"

Optane Memory None

Optical 9.0mm DVD±RW

Media Reader 7-in-1

Speaker 1.5Wx1

Ethernet Integrated 100/1000M

WLAN + Bluetooth Intel 3165 11ac, 1x1 + BT4.0

Color Black

Optional Rear Ports None

Keyboard USB Calliope Keyboard, Black, Slovak

Mouse USB Calliope Mouse, Black

Power Supply 180W 85%

Monitor Cable None

Bundled Accessories None

Operating System Windows 10 Pro 64, Slovak / English

Bundled Software

Base Warranty 1-year, Depot

Bundled Service

End of Support 2025-11-15

Announce Date 2019-10-15

Recommended Services

Better 4Y Premier Support Upgrade from 1Y Depot/CCI (5WS0T36139)

Good 3Y Premier Support Upgrade from 1Y Depot/CCI (5WS0T36200)

L WWW.LENOVO.COM

Lenovo may not offer the products, services or features discussed in this document in other countries. Lenovo may withdraw an offering at any time. Information is subject to change without notice. Consult your local representative for information on offerings available in your area.

Lenovo reserves the right to change specifcations or other product information without notice. Lenovo is not responsible for photographic or typographical errors.

Lenovo provides this publication "as is" without warranty of any kind, either express or implied, including the implied warranties of merchantability or fitness for a particular purpose.

https://psref.lenovo.com

PSREF

Visit psref website for the latest version of Product Specifcations Reference. © Lenovo, 2019. All rights reserved.



Lenovo V530-15ICR Tower Platform Specifications

Product Specifications Reference (PSREF)

Lenovo

| | Intel® Celeron®, Intel Pentium® Gold, or 8th / 9th Generation Intel Core™ i3 / i5 / i7 / i9 Processor | | | | | | | Audio support High Definition (HD) Audio, Realtek® ALC623-CG, optional internal speaker (1.5 watt) |
|-------------------|--|------------|----------------------------|---------------|---------------------------|---|-------------------|--|
| | Processor | Cores / | Frequency Base/Max(GHz) | | Memory Support (Up to) | Integrated Graphics | | Some: 11ac wireless, M.2 Card, Realtek 8821CE (dual band), Wi-Fi + Bluetooth 4.0 combo adapter, 1x1 |
| | Celeron G4900 | 2/2 | 3.1G | 2 MB | | | 1 | Some: 11ac wireless, M.2 Card, Intel Dual Band Wireless-AC 3165, Wi-Fi + Bluetooth 4.0 combo adapter, 1x1 |
| | Celeron G4920 2 / 2 3.2G 2 MB Pentium Gold G5400 2 / 4 3.7G 4 MB Pentium Gold G5420 2 / 4 3.8G 4 MB | | Į | UHD 610 | Bluetooth™ | Some: Bluetooth 4.0 wireless, integrated in Wi-Fi + Bluetooth combo adapter | | |
| | | | | | DDR4-2400 | | Ethernet | One gigabit ethernet port, Realtek ŘTL8111HN, Wake on LAN® |
| | Core i3-8100 | 4/4 | 3.6G | 6 MB | 4 | · | | None |
| | Core i3-9100 | 4/4 | 3.6G / 4.2G | 6 MB | 1 | | Security chip | Firmware TPM 2.0 |
| | Core i5-8400 | 6/6 | 2.8G / 4.0G | 9 MB | T I | | | • One lock to secure both cover and |
| | Core i5-8500 | 6/6 | 3.0G / 4.1G | 9 MB | ļ l | · | 1 | entire system to fixed object: -Padlock loop (in rear for opt padlock) • Hard disk password • Power-on password |
| | Core i7-8700 | 6/12 | 3.2G / 4.6G | 12 MB | | UHD 630 | 1 | -Security slot (in rear for optional |
| | Core i5-9400 | 6/6 | 2.9G / 4.1G | 9 MB | DDR4-2666 | · | | Kensington® MicroSaver® cable) |
| | Core i5-9500 Core i7-9700 | 6/6 8/8 | 3.0G / 4.4G 3.0G / 4.7G | 9 MB 12 MB | + I | · | Keyboard Mouse | Some: Lenovo Calliope Keyboard (USB connector), black Some: Lenovo Calliope Mouse (USB connector), red wheel, black |
| | Core i9-9900 | 8/16 | 3.1G / 5.0G | 16 MB | 1 | | | Some: Lenovo Galilope Mouse (USB connector), red wheel, black Some: Lenovo Fingerprint Mouse (USB connector), black |
| | 32GB max, UDIMM, DDR4-2666*, two 288-pin DIMM sockets, non-ECC, dual-channel capable * System automatically clocks down for the processors with lower memory controller | | | | | | Mechanical | |
| Optane™ Memory | Some: Hard Drive / SATA 6.0Gb/s, 3.5", 7200 rpm Some: Solid State Drive (SSD) / SATA 6.0Gb/s Some: Solid State Drive (SSD) / SATA 6.0Gb/s, Opal Some: M.2 Solid State Drive (SSD) / PCIe NVMe, PCIe 3.0 x 4 * 128GB SSD M.2 (2242) PCIe NVMe only supports PCIe 3.0 x 2, 16Gb/s y Optional 16GB Intel Optane Memory (not support Celeron / Pentium Processor), | | | | | | | Approx. 12.5 lb (5.7 kg), weight may vary by configuration Bay 1: Slim external ODD bay Bay 2: 2.5", internal, HDD/SSD (optional bay, bay comes with disk) Bay 3: 3.5", internal, HDD/SSD (optional bay, bay comes with disk) Slot 1: PCle 3.0 x16 Slot 2: PCle 3.0 x1 M.2 card slots: Two M.2 (one for WLAN, one for M.2 SSD) |
| , , | M.2 Some: DVD-ROM SATA 1.5Gb/s Drive, slim (9.0mm) | | | | | | Power supply | 180 watts, autosensing, 85% PSU |
| | Some: DVD Burner (DVD±RW), SATA 1.5Gb/s Drive, slim (9.0mm) | | | | | | | |
| Onboard SATA | Three onboard SATÀ 6.0Gb/s connectors (for HDD/SSD and ODD) Optional 7-in-1 card reader (SD, SDHC, SDXC, MMC, MS, MS-Pro, MMC plus) | | | | | | | Some: 1-year or 3-year, limited onsite service |
| Graphics | Intel UHD Graphics 610/630 in processor, uses main memory, DirectX® 12, one VGA, one DisplayPort [™] , one HDMI, supports three independent displays, works along with discrete graphics to support more displays; <i>Max resolution:</i> 4096x2304 (DP)@60Hz; 4096x2160 (HDMI)@24Hz; 1920x1080 (VGA)@60Hz Some: NVIDIA Geforce® GT 730, DirectX 12, 2GB, GDDR5, PCIe 2.0 x8 adapter, one VGA, one HDMI, 35 watts; <i>Max resolution:</i> 3840x2160 (HDMI)@30Hz; 2048x1536 (VGA)@75Hz Some: AMD Radeon [™] 520, DirectX 12, 1GB, GDDR5, PCIe 2.0 x8 adapter, one | | | | | | | Preloaded operating system Some: Windows 10 Pro 64-bit Some: Windows 10 Home 64-bit Preloaded applications (only some listed) • Microsoft Office preloaded; purchase a product key to activate • Lenovo Vantage • Lenovo App Explorer • McAfee [®] LiveSafe™(30-day trial) |
| | VGA, one HDMI, 30 watts; | | | | | • | | ENERGY STAR [®] 7.0 ; EPEAT [™] Silver rating; GREENGUARD [®] ; RoHS-compliant |
| Parallel Cable | <i>Max resolution:</i> 3840x2160 (HDMI)@30Hz; 2048x1536 (VGA)@75Hz Optional | | | | | JIIZ | Accessories | For compatible accessories, please go to http://smartfind.lenovo.com/ |
| | Intel B365 Chipset | | | | | | 7 | |
| | Six USB 3.1 Gen 1, microphone (3.5mm), combo audio/microphone jack (3.5mm), | | | | | (3.5mm), | 7 | |
| Rear ports∗ | optional card reader Four USB 2.0, one serial, optional parallel, one ethernet (RJ-45), one VGA, one DisplayPort, one HDMI, additional VGA, or HDMI on optional graphic card on some models | | | | | | | |
| Rear audio ports* | * Line-in (3.5mm), line-out (3.5mm), microphone (3.5mm) * Depending on many factors, actual data transfer speed may be lower than theoretical speed | | | | | | | |

Note: The specifications above may not be available in all regions.

Lenovo September 2019 Θ



(intel)

(intel)







(intel) inside*

(intel) inside*



(intel) inside