Lenovo V530s-07ICR 11BM0012XS

Product

Lenovo V530s-07ICR

Region

EET

Country/Region

Slovakia

Machine Type

11BM

TopSeller

TopSeller

Processor

Intel Core i3-8100 (4C / 4T, 3.6GHz, 6MB)

Chipset

Intel B365

Graphics

Integrated Intel UHD Graphics 630

Memory

1x 4GB DIMM DDR4-2400

Storage

128GB SSD M.2 2242 NVMe

Optane Memory

None

Optical

9.0mm DVD±RW

Media Reader

7-in-1

Ethernet

Integrated 100/1000M

WLAN + Bluetooth

Intel 3165 11ac. 1x1 + BT4.0

Color

Black

Optional Rear Ports

None

Keyboard

USB Calliope Keyboard, Black, Slovak

USB Calliope Mouse, Black

Power Supply

180W 85%

Monitor Cable

None

Operating System

Windows 10 Home 64, Slovak / English

Bundled Software

None

Base Warranty

1-year, Depot

Bundled Service

None

End of Support

2025-10-30

Announce Date

2019-09-30

Recommended Services

Better

4Y Premier Support Upgrade from 1Y Depot/CCI (5WS0T36139)

Good

3Y Premier Support Upgrade from 1Y Depot/CCI (5WS0T36200)

WWW.LENOVO.COM

Lenovo may not offer the products, services or features discussed in this document in other countries. Lenovo may withdraw an offering at any time. Information is subject to change without notice. Consult your local representative for information on offerings available in your area.

Lenovo reserves the right to change specifications or other product information without notice. Lenovo is not responsible for photographic or typographical errors. Lenovo provides this publication "as is" without warranty of any kind, either express or implied, including the implied warranties of merchantability or fitness for a particular purpose.



https://psref.lenovo.com

Visit psref website for the latest version of Product Specifications Reference. © Lenovo, 2019. All rights reserved.





Lenovo V530s-07ICR SFF Platform Specifications

Processor	Intel® Celeron®, Intel Pentium® Gold, or 8th / 9th Generation Intel Core™ i3 / i5 / i7 / i9 Processor						Manageability Security chip	None Firmware TPM 2.0
	Processor	Cores /	Frequency Base/Max(GHz)	Cache	Memory Support (Up to)	Integrated Graphics		 One lock to secure both cover and entire system to fixed object: Administrator password Hard disk password
	Celeron G4900 Celeron G4920	2/2	3.1G 3.2G	2 MB 2 MB		UHD 610		-Padlock loop (in rear for opt padlock) -Security slot (in rear for optional Kensington® MicroSaver® cable) • Power-on password • USB port disablement • Computrace Support
	Pentium Gold G5400 Pentium Gold G5420	2/4 3.7G 4 MB 2/4 3.8G 4 MB DDR4-2400			טוס טחט	Keyboard Mouse	Some: Lenovo Calliope Keyboard (USB connector), black Some: Lenovo Calliope Mouse (USB connector), red wheel, black	
	Core i3-8100 Core i3-9100	4/4	3.6G 3.6G / 4.2G	6 MB 6 MB				Some: Lenovo Fingerprint Mouse (USB connector), black
	Core i5-8400 Core i5-8500	6/6	2.8G / 4.0G 3.0G / 4.1G	9 MB 9 MB		UHD 630	Mechanical	 SFF 7.4L (metal chassis), black color, metal case Dimension (overall) 3.9" W X 12.0" D X 10.8" H 100mm W X 304.4mm D X 274.8mm H Dimension (metal chassis only) 3.9" W X 10.8" D X 10.6" H 100mm W x 275mm D x 270mm H
	Core i7-8700	6/12	3.2G / 4.6G	12 MB				
	Core i5-9400 Core i5-9400F	6/6	2.9G / 4.1G 2.9G / 4.1G	9 MB 9 MB	DDR4-2666	-		 Approx. 9.3 lb (4.2 kg), weight may vary by configuration Bay 1: Slim external ODD bay
	Core i5-9500 Core i7-9700	6/6 8/8	3.0G / 4.4G 3.0G / 4.7G	9 MB 12 MB		UHD 630		Bay 2: 3.5", internal, HDD/SSD (optional bay, bay comes with disk) Slot 1: PCIe 3.0 x16 Slot 2: PCIe 3.0 x1
Memory	Core i9-9900 32GB max, UDIMM, I		3.1G / 5.0G 66*, two 288-pin	16 MB DIMM se	ockets, non-ECC,	,	Floor Stand	M.2 card slots: Two M.2 (one for WLAN, one for M.2 SSD) None
	dual-channel capable * System automatically clocks down for the processors with lower memory controller					er	Power supply	180 watts, autosensing, 85% PSU
Storage							Limited warranty	Some: 1-year depot repair or Carry-in service Some: 1-year limited onsite service
Optical Drive Onboard SATA Media reader Graphics	y Optional 16GB Intel Optane™ Memory (not support Celeron / Pentium Processor), M.2 Optional DVD Burner (DVD±RW), SATA 1.5Gb/s Drive, slim (9.0mm) Two onboard SATA 6.0Gb/s connectors (for HDD/SSD and ODD) Optional 7-in-1 media reader (SD, SDHC, SDXC, MMC, MS, MS-Pro, MMC plus) Intel UHD Graphics 610/630 in processor, uses main memory, DirectX® 12, one VGA, one DisplayPort™, one HDMI, supports three independent displays, works along with discrete graphics to support more displays; Max resolution: 4096x2304 (DP)@60Hz; 4096x2160 (HDMI)@24Hz;						Preload Preloaded operating system Some: Windows 10 Pro 64-bit Some: Windows 10 Home 64-bit Preloaded applications (only some listed) Microsoft Office preloaded; purchase a product key to activate Lenovo Vantage Lenovo Vantage Lenovo App Explorer McAfee® LiveSafe™(30-day trial) Environment ENERGY STAR® 7.0; EPEAT™ Silver rating; GREENGUARD®; RoHS-compliant;	
							Accessories	For compatible accessories, please go to http://smartfind.lenovo.com/
Parallel Cable	Optional							
	Intel B365 Chipset							
Front ports* Rear ports*	Four USB 3.1 Gen 1, microphone (3.5mm), combo audio/microphone jack (3.5mm), optional media reader Two USB 3.1 Gen1, two USB 2.0, one serial, optional parallel, optional 2nd serial one ethernet (RJ-45), one VGA, one DisplayPort, one HDMI,							
**additional VGA, or HDMI on optional graphic card on some models Rear audio ports* Line-out (3.5mm) * Depending on many factors, actual data transfer speed may be lower than theoretical speed ** i5-9400F model only supports discreted graphics adapter with one VGA and one HDMI ports, onboard VGA, HDMI, and DP ports are disabled via covers on the machine.								
Audio support	High Definition (HD) Audio, Realtek® ALC623, internal speaker (2 watt)]	
WLAN	Some: 11ac wireless, M.2 Card, Realtek 8821CE (dual band), Wi-Fi + Bluetooth 4.2 combo adapter, 1x1 Some: 11ac wireless, M.2 Card, Intel Dual Band Wireless-AC 3165, Wi-Fi + Bluetooth 4.0 combo adapter, 1x1							
Bluetooth™ Ethernet Modem	Some: Bluetooth 4.0 / 4.2 wireless, integrated in Wi-Fi + Bluetooth combo adapter One gigabit ethernet port, Realtek RTL8111HN, Wake on LAN® None							Lenov















