## Lenovo V530s-07ICR 11BM001GXS

Product Lenovo V530s-07ICR

**Region** EET

*Country/Region* Slovakia

Machine Type 11BM

TopSeller TopSeller

Processor Intel Core i3-8100 (4C / 4T, 3.6GHz, 6MB)

*Chipset* Intel B365

Graphics Integrated Intel UHD Graphics 630

Memory 1x 4GB DIMM DDR4-2400

Storage 256GB SSD 2.5" SATA6Gb/s Opal

**Optane Memory** None

**Optical** 9.0mm DVD±RW

Media Reader 7-in-1

*Ethernet* Integrated 100/1000M

WLAN + Bluetooth None

**Color** Black

**Optional Rear Ports** None Keyboard USB Calliope Keyboard, Black, Slovak

*Mouse* USB Calliope Mouse, Black

Power Supply 180W 85%

*Monitor Cable* None

**Operating System** Windows 10 Pro 64, Slovak / English

Bundled Software

Base Warranty 1-year, Onsite

Bundled Service None

*End of Support* 2025-10-30

**Announce Date** 2019-09-30

### L WWW.LENOVO.COM

Lenovo may not offer the products, services or features discussed in this document in other countries. Lenovo may withdraw an offering at any time. Information is subject to change without notice. Consult your local representative for information on offerings available in your area.

Lenovo reserves the right to change specifcations or other product information without notice. Lenovo is not responsible for photographic or typographical errors.

Lenovo provides this publication "as is" without warranty of any kind, either express or implied, including the implied warranties of merchantability or fitness for a particular purpose.

#### https://psref.lenovo.com

# PSREF

Visit psref website for the latest version of Product Specifcations Reference. © Lenovo, 2019. All rights reserved.



### Lenovo V530s-07ICR SFF Platform Specifications

Product Specifications Reference (PSREF)

0	
$\geq$	
0	
Č	
Ø	

Processor	Intel <sup>®</sup> Celeron <sup>®</sup> , Intel	Pentium®	Gold.			Manageability	None			
	or 8th / 9th Generation Intel Core™ i3 / i5 / i7 / i9 Processor						Security chip	Firmware TPM 2.0		
	Processor	1	Frequency Base/Max(GHz)	Cache	Memory Support (Up to)	Integrated Graphics	Security features	• One lock to secure both cover and entire system to fixed object:	<ul> <li>Administrator password</li> <li>Hard disk password</li> </ul>	
	Celeron G4900	2/2	3.1G	2 MB				-Padlock loop (in rear for opt padlock) -Security slot (in rear for optional	<ul> <li>Power-on password</li> <li>USB port disablement</li> </ul>	
	Celeron G4920	2/2	3.2G	2 MB		UHD 610		Kensington <sup>®</sup> MicroSaver <sup>®</sup> cable)	Computrace Support	
	Pentium Gold G5400	2/4	3.7G	4 MB	DDR4-2400		Keyboard	Some: Lenovo Calliope Keyboard (USB c		
	Pentium Gold G5420	2/4	3.8G	4 MB				Some: Lenovo Calliope Mouse (USB connector), red wheel, black		
	Core i3-8100	4/4	3.6G	6 MB				Some: Lenovo Fingerprint Mouse (USB c	connector), black	
	Core i3-9100	4/4	3.6G / 4.2G		-	Mechanical	• SFF 7.4L (metal chassis), black color, metal case			
	Core i5-8400 Core i5-8500	6/6	2.8G / 4.0G 3.0G / 4.1G	9 MB 9 MB	-	UHD 630		<ul> <li>Dimension (overall) 3.9" W X 12.0" D X 100mm W X 304.4mm D X 274.8mm H</li> </ul>	10.8" H	
	Core i7-8700	6/6 6/12	3.2G / 4.6G	9 MB	-			Dimension (metal chassis only) 3.9" W >	K 10.8" D X 10.6" H	
	Core i5-9400	6/6	2.9G / 4.1G	9 MB	1			100mm W x 275mm D x 270mm H		
	Core i5-9400F	6/6	2.9G / 4.1G	9 MB	DDR4-2666	_		• Approx. 9.3 lb (4.2 kg), weight may vary Bay 1: Slim external ODD bay	by configuration	
	Core i5-9500	6/6	3.0G / 4.4G	9 MB	1			Bay 2: 3.5", internal, HDD/SSD (optional b	av. bav comes with disk)	
	Core i7-9700	8/8	3.0G / 4.7G	12 MB		UHD 630		Slot 1: PCle 3.0 x16	,	
	Core i9-9900	8/16	3.1G / 5.0G	16 MB				Slot 2: PCle 3.0 x1 M.2 card slots: Two M.2 (one for WLAN, one for M.2 SSD)		
Memory	32GB max LIDIMM	DDR4-26	66* two 288-nin	DIMM e	ockets non-ECC		Floor Stand	None	10 101 1VI.2 33D)	
Wennery	32GB max, UDIMM, DDR4-2666*, two 288-pin DIMM sockets, non-ECC, dual-channel capable * System automatically clocks down for the processors with lower memory controller						Power supply	180 watts, autosensing, 85% PSU		
Storage	Some: Hard Drive / SATA 6.0Gb/s, 3.5", 7200 rpm						Limited warranty			
Ū.	Some: M.2 Solid State Drive (SSD) / PCIe NVMe, PCIe 3.0 x 4						Drolood	Some: 1-year limited onsite service		
Ontane™ Memor	Some: Solid State Dr				eron / Pentium P	Processor)	Preload	Preloaded operating system Some: Windows 10 Pro 64-bit		
optane memor	Memory Optional 16GB Intel Optane™ Memory (not support Celeron / Pentium Processor), M.2					10003301),		Some: Windows 10 Home 64-bit Preloaded applications (only some listed) • Microsoft Office preloaded; purchase a product key to activate		
Optical Drive	Optional DVD Burner (DVD±RW), SATA 1.5Gb/s Drive, slim (9.0mm)									
Onboard SATA Media reader	Two onboard SATA 6.0Gb/s connectors (for HDD/SSD and ODD)				MC plue)					
Graphics						-	<ul> <li>Lenovo Vantage</li> </ul>			
Graphics	Intel UHD Graphics 610/630 in processor, uses main memory, DirectX <sup>®</sup> 12, one VGA, one DisplayPort <sup>™</sup> , one HDMI, supports three independent displays, works along with discrete graphics to support more displays; <i>Max resolution</i> : 4096x2304 (DP)@60Hz; 4096x2160 (HDMI)@24Hz; 1020x1090 (VCA)@60Hz					plavs.		<ul> <li>Lenovo App Explorer</li> <li>McAfee<sup>®</sup> LiveSafe<sup>™</sup>(30-day trial)</li> <li>ENERGY STAR<sup>®</sup> 7.0 ; EPEAT<sup>™</sup> Silver rating; GREENGUARD<sup>®</sup>; RoHS-compliant;</li> </ul>		
						- <b>- 7</b> - 7				
							Environment			
	1920x1080 (VGA)@60Hz Some: NVIDIA Geforce® GT 730, DirectX 12, 2GB, GDDR5, PCIe 2.0 x8 adapter, one VGA, one HDMI, 35 watts; Max resolution: 3840x2160 (HDMI)@60Hz; 2048x1536 (VGA)@75Hz						Accessories	For compatible accessories, please go to http://smartfind.lenovo.com/		
Parallel Cable										
	Optional									
Chipset	Intel B365 Chipset		(0.5.)				-			
Front ports*	Four USB 3.1 Gen 1,		one (3.5mm), co	mbo aud	io/microphone jao	ck (3.5mm)	,			
Rear ports*	optional media reader Two USB 3.1 Gen1, two USB 2.0, one serial, optional parallel, optional 2nd serial									
	one ethernet (RJ-45)	, one VG	A, one DisplayPo	rt, one ⊢	IDMI,					
Door oudio norte	**additional VGA, or HDMI on optional graphic card on some models									
Rear audio ports	* Depending on many factors, actual data transfer speed may be lower than theoretical speed									
	** i5-9400F model only supports discreted graphics adapter with one VGA and one HDMI ports, onboard VGA, HDMI, and DP ports are disabled via covers on the machine.						,			
Audio support	High Definition (HD) Audio, Realtek® ALC623, internal speaker (2 watt )						1			
WLAN	Some: 11ac wireless, M.2 Card, Realtek 8821CE (dual band),						]			
	Wi-Fi + Bluetooth 4.2 combo adapter, 1x1 Some: 11ac wireless, M.2 Card, Intel Dual Band Wireless-AC 3165,									
Divisional	Wi-Fi + Bluetooth 4.0 combo adapter, 1x1 Some: Bluetooth 4.0 / 4.2 wireless, integrated in Wi-Fi + Bluetooth combo adapter One gigabit ethernet port, Realtek RTL8111HN, Wake on LAN®									
Bluetooth™ Ethernet										
Modem	None	port, nec		, wane (						
	tiona abova may not ba						1		Lonovo	

Note: The specifications above may not be available in all regions.

# Lenovo V530s-07ICR







(intel) inside





(intel) inside