

Lenovo V530s-07ICR 11BM0028XS

Product

Lenovo V530s-07ICR

Region

EET

Country/Region

Slovakia

Machine Type

11BM

TopSeller

TopSeller

Processor

Intel Core i5-9400 (6C / 6T, 2.9 / 4.1GHz, 9MB)

Chipset

Intel B365

Graphics

Integrated Intel UHD Graphics 630

Memory

1x 8GB DIMM DDR4-2666

Storage

1TB HDD 7200rpm 3.5"

Optane Memory

None

Optical

9.0mm DVD±RW

Media Reader

7-in-1

Ethernet

Integrated 100/1000M

WLAN + Bluetooth

None

Color

Black

Optional Rear Ports

None

Keyboard

USB Calliope Keyboard, Black, Slovak

Mouse

USB Calliope Mouse, Black

Power Supply

180W 85%

Monitor Cable

None

Operating System

Windows 10 Pro 64, Slovak / English

Bundled Software

None

Base Warranty

1-year, Onsite

Bundled Service

None

End of Support

2025-10-30

Announce Date

2019-09-30

 WWW.LENOVO.COM

Lenovo may not offer the products, services or features discussed in this document in other countries. Lenovo may withdraw an offering at any time. Information is subject to change without notice. Consult your local representative for information on offerings available in your area.

Lenovo reserves the right to change specifications or other product information without notice. Lenovo is not responsible for photographic or typographical errors. Lenovo provides this publication "as is" without warranty of any kind, either express or implied, including the implied warranties of merchantability or fitness for a particular purpose.



<https://psref.lenovo.com>

Visit psref website for the latest version of Product Specifications Reference.

© Lenovo, 2019. All rights reserved.



Lenovo™

Lenovo V530s-07ICR SFF Platform Specifications

Product Specifications Reference (PSREF)



Processor	Intel® Celeron®, Intel Pentium® Gold, or 8th / 9th Generation Intel Core™ i3 / i5 / i7 / i9 Processor						Manageability	None																																																																			
	<table border="1"> <thead> <tr> <th>Processor</th> <th>Cores / Threads</th> <th>Frequency Base/Max(GHz)</th> <th>Cache</th> <th>Memory Support (Up to)</th> <th>Integrated Graphics</th> </tr> </thead> <tbody> <tr> <td>Celeron G4900</td> <td>2 / 2</td> <td>3.1G</td> <td>2 MB</td> <td rowspan="4">DDR4-2400</td> <td rowspan="4">UHD 610</td> </tr> <tr> <td>Celeron G4920</td> <td>2 / 2</td> <td>3.2G</td> <td>2 MB</td> </tr> <tr> <td>Pentium Gold G5400</td> <td>2 / 4</td> <td>3.7G</td> <td>4 MB</td> </tr> <tr> <td>Pentium Gold G5420</td> <td>2 / 4</td> <td>3.8G</td> <td>4 MB</td> </tr> <tr> <td>Core i3-8100</td> <td>4 / 4</td> <td>3.6G</td> <td>6 MB</td> <td rowspan="8">DDR4-2666</td> <td rowspan="8">UHD 630</td> </tr> <tr> <td>Core i3-9100</td> <td>4 / 4</td> <td>3.6G / 4.2G</td> <td>6 MB</td> </tr> <tr> <td>Core i5-8400</td> <td>6 / 6</td> <td>2.8G / 4.0G</td> <td>9 MB</td> </tr> <tr> <td>Core i5-8500</td> <td>6 / 6</td> <td>3.0G / 4.1G</td> <td>9 MB</td> </tr> <tr> <td>Core i7-8700</td> <td>6 / 12</td> <td>3.2G / 4.6G</td> <td>12 MB</td> </tr> <tr> <td>Core i5-9400</td> <td>6 / 6</td> <td>2.9G / 4.1G</td> <td>9 MB</td> </tr> <tr> <td>Core i5-9400F</td> <td>6 / 6</td> <td>2.9G / 4.1G</td> <td>9 MB</td> </tr> <tr> <td>Core i5-9500</td> <td>6 / 6</td> <td>3.0G / 4.4G</td> <td>9 MB</td> </tr> <tr> <td>Core i7-9700</td> <td>8 / 8</td> <td>3.0G / 4.7G</td> <td>12 MB</td> <td rowspan="2">UHD 630</td> </tr> <tr> <td>Core i9-9900</td> <td>8 / 16</td> <td>3.1G / 5.0G</td> <td>16 MB</td> </tr> </tbody> </table>						Processor	Cores / Threads	Frequency Base/Max(GHz)	Cache	Memory Support (Up to)	Integrated Graphics	Celeron G4900	2 / 2	3.1G	2 MB	DDR4-2400	UHD 610	Celeron G4920	2 / 2	3.2G	2 MB	Pentium Gold G5400	2 / 4	3.7G	4 MB	Pentium Gold G5420	2 / 4	3.8G	4 MB	Core i3-8100	4 / 4	3.6G	6 MB	DDR4-2666	UHD 630	Core i3-9100	4 / 4	3.6G / 4.2G	6 MB	Core i5-8400	6 / 6	2.8G / 4.0G	9 MB	Core i5-8500	6 / 6	3.0G / 4.1G	9 MB	Core i7-8700	6 / 12	3.2G / 4.6G	12 MB	Core i5-9400	6 / 6	2.9G / 4.1G	9 MB	Core i5-9400F	6 / 6	2.9G / 4.1G	9 MB	Core i5-9500	6 / 6	3.0G / 4.4G	9 MB	Core i7-9700	8 / 8	3.0G / 4.7G	12 MB	UHD 630	Core i9-9900	8 / 16	3.1G / 5.0G	16 MB	Security chip	Firmware TPM 2.0
							Processor	Cores / Threads	Frequency Base/Max(GHz)	Cache	Memory Support (Up to)	Integrated Graphics																																																															
							Celeron G4900	2 / 2	3.1G	2 MB	DDR4-2400	UHD 610																																																															
							Celeron G4920	2 / 2	3.2G	2 MB																																																																	
							Pentium Gold G5400	2 / 4	3.7G	4 MB																																																																	
							Pentium Gold G5420	2 / 4	3.8G	4 MB																																																																	
							Core i3-8100	4 / 4	3.6G	6 MB	DDR4-2666	UHD 630																																																															
							Core i3-9100	4 / 4	3.6G / 4.2G	6 MB																																																																	
							Core i5-8400	6 / 6	2.8G / 4.0G	9 MB																																																																	
							Core i5-8500	6 / 6	3.0G / 4.1G	9 MB																																																																	
							Core i7-8700	6 / 12	3.2G / 4.6G	12 MB																																																																	
							Core i5-9400	6 / 6	2.9G / 4.1G	9 MB																																																																	
							Core i5-9400F	6 / 6	2.9G / 4.1G	9 MB																																																																	
Core i5-9500							6 / 6	3.0G / 4.4G	9 MB																																																																		
Core i7-9700	8 / 8	3.0G / 4.7G	12 MB	UHD 630																																																																							
Core i9-9900	8 / 16	3.1G / 5.0G	16 MB																																																																								
						Security features	<ul style="list-style-type: none"> One lock to secure both cover and entire system to fixed object: <ul style="list-style-type: none"> -Padlock loop (in rear for opt padlock) -Security slot (in rear for optional Kensington® MicroSaver® cable) Administrator password Hard disk password Power-on password USB port disablement Computrace Support 																																																																				
						Keyboard Mouse	<i>Some:</i> Lenovo Calliope Keyboard (USB connector), black <i>Some:</i> Lenovo Calliope Mouse (USB connector), red wheel, black <i>Some:</i> Lenovo Fingerprint Mouse (USB connector), black																																																																				
						Mechanical	<ul style="list-style-type: none"> SFF 7.4L (metal chassis), black color, metal case Dimension (overall) 3.9" W X 12.0" D X 10.8" H 100mm W X 304.4mm D X 274.8mm H Dimension (metal chassis only) 3.9" W X 10.8" D X 10.6" H 100mm W x 275mm D x 270mm H Approx. 9.3 lb (4.2 kg), weight may vary by configuration Bay 1: Slim external ODD bay Bay 2: 3.5", internal, HDD/SSD (optional bay, bay comes with disk) Slot 1: PCIe 3.0 x16 Slot 2: PCIe 3.0 x1 M.2 card slots: Two M.2 (one for WLAN, one for M.2 SSD) 																																																																				
						Floor Stand	None																																																																				
Memory	32GB max, UDIMM, DDR4-2666*, two 288-pin DIMM sockets, non-ECC, dual-channel capable * System automatically clocks down for the processors with lower memory controller						Power supply	180 watts, autosensing, 85% PSU																																																																			
Storage	<i>Some:</i> Hard Drive / SATA 6.0Gb/s, 3.5", 7200 rpm <i>Some:</i> M.2 Solid State Drive (SSD) / PCIe NVMe, PCIe 3.0 x 4 <i>Some:</i> Solid State Drive (SSD) / SATA 6.0Gb/s, 2.5"						Limited warranty	<i>Some:</i> 1-year depot repair or Carry-in service <i>Some:</i> 1-year limited onsite service																																																																			
Optane™ Memory	Optional 16GB Intel Optane™ Memory (not support Celeron / Pentium Processor), M.2						Preload	Preloaded operating system <i>Some:</i> Windows 10 Pro 64-bit <i>Some:</i> Windows 10 Home 64-bit Preloaded applications (only some listed)																																																																			
Optical Drive	Optional DVD Burner (DVD±RW), SATA 1.5Gb/s Drive, slim (9.0mm)						<ul style="list-style-type: none"> Microsoft Office preloaded; purchase a product key to activate Lenovo Vantage Lenovo App Explorer McAfee® LiveSafe™(30-day trial) 																																																																				
Onboard SATA Media reader	Two onboard SATA 6.0Gb/s connectors (for HDD/SSD and ODD) Optional 7-in-1 media reader (SD, SDHC, SDXC, MMC, MS, MS-Pro, MMC plus)																																																																										
Graphics	Intel UHD Graphics 610/630 in processor, uses main memory, DirectX® 12, one VGA, one DisplayPort™, one HDMI, supports three independent displays, works along with discrete graphics to support more displays; <i>Max resolution:</i> 4096x2304 (DP)@60Hz; 4096x2160 (HDMI)@24Hz; 1920x1080 (VGA)@60Hz <i>Some:</i> NVIDIA GeForce® GT 730 , DirectX 12, 2GB , GDDR5, PCIe 2.0 x8 adapter, one VGA, one HDMI, 35 watts; <i>Max resolution:</i> 3840x2160 (HDMI)@60Hz; 2048x1536 (VGA)@75Hz						Environment	ENERGY STAR® 7.0 ; EPEAT™ Silver rating; GREENGUARD®; RoHS-compliant;																																																																			
Parallel Cable	Optional						Accessories	For compatible accessories, please go to http://smartfind.lenovo.com/																																																																			
Chipset	Intel B365 Chipset																																																																										
Front ports*	Four USB 3.1 Gen 1, microphone (3.5mm), combo audio/microphone jack (3.5mm), optional media reader																																																																										
Rear ports*	Two USB 3.1 Gen1, two USB 2.0, one serial, optional parallel, optional 2nd serial one ethernet (RJ-45), one VGA, one DisplayPort, one HDMI, **additional VGA, or HDMI on optional graphic card on some models																																																																										
Rear audio ports*	Line-out (3.5mm) * Depending on many factors, actual data transfer speed may be lower than theoretical speed ** i5-9400F model only supports discreted graphics adapter with one VGA and one HDMI ports, onboard VGA, HDMI, and DP ports are disabled via covers on the machine.																																																																										
Audio support	High Definition (HD) Audio, Realtek® ALC623, internal speaker (2 watt)																																																																										
WLAN	<i>Some:</i> 11ac wireless, M.2 Card, Realtek 8821CE (dual band), Wi-Fi + Bluetooth 4.2 combo adapter, 1x1 <i>Some:</i> 11ac wireless, M.2 Card, Intel Dual Band Wireless-AC 3165, Wi-Fi + Bluetooth 4.0 combo adapter, 1x1																																																																										
Bluetooth™	<i>Some:</i> Bluetooth 4.0 / 4.2 wireless, integrated in Wi-Fi + Bluetooth combo adapter																																																																										
Ethernet	One gigabit ethernet port, Realtek RTL8111HN, Wake on LAN®																																																																										
Modem	None																																																																										

Note: The specifications above may not be available in all regions.

Lenovo V530s-07ICR

